

INOOI-DUO Series Oven/Incubator (Dual-Purpose)

The new generation of dual-module (Oven & Incubator) INOOI-DUO Series, which adopts German technology, ensures high quality and reliable operation. It is generally used in scientific research, production departments, high schools, etc. environments.

Features;

1. Polished stainless steel chamber, easy to use and clean.
2. Adjustable shelf ranges.
3. Microprocessor temperature controller providing precise and reliable control.
4. Intelligent programmable temperature controller. (Optional)
5. Compressed air transport to maintain temperature in the workroom uniform.
6. Silicone rubber sealing strips and double layer glass door window providing preview.



Technical Specifications;

| Model | INOOI-DUO30A | INOOI-DUO50A | INOOI-DUO70A | INOOI-DUO140A | INOOI-DUO240A |
|---------------------------|---|--------------|--------------|---------------|---------------|
| Capacity (L) | 30 | 50 | 70 | 140 | 240 |
| Number of Shelves | 2 | | | | |
| Timing Range | 1 - 9999min | | | | |
| Temperature Range | A.) As Incubator: 5 - 80°C B.) As Oven: 80 - 220°C | | | | |
| Display Resolution | 0.1°C | | | | |
| Temperature Stability | A.) ±0.5 B.) ±1% | | | | |
| Ambient Temperature | 5 - 35°C | | | | |
| Power Supply | 220V 50Hz | | | | |
| Power Consumption (W) | 850 | 1100 | 1550 | 2050 | 2450 |
| Interior Size (WxDxH)(mm) | 340x325x320 | 420x395x350 | 450x400x450 | 550x450x550 | 600x550x600 |
| Exterior Size (WxDxH)(mm) | 630x510x490 | 840x670x720 | 740x570x620 | 740x570x620 | 780x960x990 |
| Weight (Kg) | 40 | 80 | 90 | 90 | 80 |

